


CONNECTED
switch gear®

We will turn you on®

IMPACT

Series

IP66 Industrial Range
Mounting Enclosures
and Covers



Data Specification 2018
1300 071 378

TRUSTED


★
★
★
5
★
★
★
YEAR
WARRANTY
IN HOUSE

Description

Connected Switchgears' mounting bases are designed for use with all IMPACT and IMPACT S Series IP66 Industrial Switchgear. Mounting bases are 60mm deep and have standard 84mm centre screw fixings. Designed to achieve an IP66 protection rating when used with appropriately suited products. Manufactured from impact and chemical resistant polycarbonate material and supplied with cross bars and screw caps. Available up to 9 gang. Polycarbonate cover plates to suit are also available.

Features

- Impact and Chemical Resistant
- Ample Volume for Wiring
- Cross Bars and Screw Caps Included
- Includes Ample Conduit and Cable Entries
- IP66 Rating



Technical Parameters

- Operating Temp: -40°C - 80°C
- Material: UV Resistant/Impact Resistant Polycarbonate
- Flame Rating: UL-94HB

Specifications

Product Code	No. of Gangs	Dimensions (mm)			Mounting Points	No. of Conduit Entries (mm)	IP Rating
		L	W	D			
ME1	1	98	98	61	4	2 x 25, 2 x 32	IP66
ME2	2	197	98	61	8	3 x 25, 2 x 32	IP66
ME3	3	294	98	61	12	6 x 25, 1 x 32	IP66
ME4	4	197	197	61	16	6 x 25, 1 x 32, 1 x 40	IP66
ME6	6	294	197	61	24	6 x 25, 2 x 32, 2 x 40	IP66
ME8	8	392	197	61	32	6 x 25, 4 x 32, 2 x 40	IP66
ME9	9	294	294	61	28	7 x 25, 5 x 32, 2 x 40	IP66
CME1	1	98	98	61	-	-	IP66
CME2	2	197	98	61	-	-	IP66

Related Products



All IMPACT and IMPACT S Switches and Socket Outlets can be mounted onto these enclosures.