



IP66 Industrial Range Weatherproof Enclosures











[DESCRIPTION]

The latest in IP66 design, the IMPACT S Series, is manufactured from impact and chemical resistant polycarbonate material, designed to achieve IP66 protection rating. Modular ME2 base allows an interchange between IMPACT and IMPACT S Series products. Hinged transparent cover is lockable, hose proof and dust resistant, comes complete with 35mm din rail and 240V red neon indicator.

[FEATURES]

- Impact and Chemical Resistant
- · Automatic Snap Catch Latch
- Hose Proof & Dust Resistant Flaps
- Lockable Transparent Door
- 35mm Din Rail
- 240V Red Neon Indicator
- Unique Face Curvature
- · Ample Conduit Entries in Base

[TECHNICAL PARAMETERS]

- Rated Voltage: 250V/500V AC
- · Rated Frequency: 50/60Hz
- · Operating Temp: -40°C 80°C
- IP Protection: IP66

[COMPLIANCE]

AS/NZS 3947.3.2015

[IMAGES]



DBWC4N-S



DBWC4N-S Side



[SPECIFICATIONS]

Product Code	Neon Indicator	Height (mm)	Width (mm)	Depth (mm)	Link Holes	Conduit Entries
DBWC4N-S	Yes	195	100	105	N/A	2 x 32mm, 3 x 25mm
DBWC4N	Yes	195	100	105	N/A	2 x 32mm, 3 x 25mm
DBWC4	No	195	100	125	4 x 5mm, 2 x 7mm	2 x 32mm, 3 x 25mm
DBWC8	No	200	173	100	N/A	3 x 32mm, 3 x 25mm

[RELATED PRODUCTS]







[WARRANTY]

Connected Switchgear IMPACT S series of product come with a trusted 5 Year In House Warranty. That means that you have peace of mind knowing that if a fault develops within a five year period, Connected Group Australia will cover the cost of replacing the product and it's installation.*

* See our website for full terms and conditions www.connectedswitchgear.com.au

