


CONNECTED
switch gear®

We will turn you on®

BRACKETS AND ACCESSORIES



Fire Rated Wall Boxes

Data Specification 2016
1300 071 378

TRUSTED


5
YEAR
WARRANTY
IN HOUSE

Description

Connected Switchgear's fire rated recessed wall boxes are suitable for use with our entire range of switches and socket outlets when fire rated protection is required to fire rated dry wall surfaces. Manufactured from sturdy zinc steel, they incorporate sliding or swinging mounting clips to allow speedy and successful installation in wall surfaces up to 35mm thick. 10mm intumescent material provides adequately for a -/120/120 rating when installed in accordance with instructions. Screw centres are 84mm with rear conduit entry points in 20 and 25mm.

Features

- Swinging or Sliding Clips
- Fire Rated -/120/120
- Sturdy Zinc Steel/Metal
- Knockouts for Easy Cable Access



Approvals

Technical Parameters

- Acoustic Rating: STC50
- Testing Laboratory: CSIRO
- Complies with Standard AS/NZS1530

Specifications

Product Code	Description	Length (cm)	Width (cm)	Height (cm)	Cut Out Size (mm)
WBR-1	Metal Wall Box	96	52	50	52 x 98
WBR-2	Metal Wall Box	96	54	47	55 x 95
WBR-FR1	Fire Rated Metal Wall Box + Sliding Clips	96	52	50	52 x 98
WBR-FR2	Fire Rated Metal Wall Box + Swinging Clips	96	54	47	55 x 95